

# NKS PRESET LIBRARY : CHERRY AUDIO KR-55C

## *For Komplete Kontrol / Maschine*



[freelancesoundlabs.com](http://freelancesoundlabs.com)

30 March 2025

### Intro

Welcome to the Cherry Audio KR-55C Drum Machine NKS Library for the Native Instruments Komplete Kontrol / Maschine software and hardware.

This NKS library contains all factory presets for Cherry Audio KR-55C with tagged files, sound previews and library artwork/database files. A fully detailed controller map has been created to allow control over most of the parameters of the synth and presets have been generated into a Sync/Non Sync library version so you can load presets either with the internal sequencer engaged or not. Presets are designed for the "Multi-Out" plugin version

### Compatibility / Requirements

- Supports Komplete Kontrol 2.8+ / Maschine 2.16+
- Supports Maschine Controller (all versions)
- Supports Komplete Kontrol Keyboards (all versions)
- **Supports VST3**
- Supports PC / Mac
- [Cherry Audio KR-55C Synthesizer VST Required](#)

**This is NKS compatibility files only. This will not work without the actual VST/Library being installed**

### Download

A free version is available that contains a handful of presets for you to test with.

The full version is available for purchase with an immediate download.



## Installation



First ensure you have the VST plug-in installed and available to the software. Confirm if you need the VST2 or VST3 version.

In Complete Kontrol It should already appear in your File > Plug-ins menu.

In Maschine open the plug-in browser and check the VST is listed:



If the plug-in does not appear in the list of plugins, check that you have the correct paths to your VST folders in Preferences > Plugins > Locations. VST3 should be a default location but if you use VST2, make sure the correct path/s are listed then rescan.



Once the plug-in is confirmed installed and working with the software, copy the preset and artwork (if included) to the following locations:


**Database Files:** Contains the browser images and database details for the NKS browser. Copy the "image" and "dist\_database" folders included in the zip file to the following locations (existing image/dist\_database folders may already exist so you want to just merge these files):

**Windows:** *C:\Users\Public\Public Documents\NI Resources*


**MAC:** */Users/Shared/NI Resources*



**Image Folder Example:**



**Database Folder Example:**



All User library database and image files will be held in these folders with a unique folder for each vendor/plug-in. Do not change the names or ordering of these folders, simply copy and merge with the existing folders in the above location

## MACOS : IMPORTANT!!!


Be sure to copy the sub folders into the above locations. You want to add the folders with the existing folders, not replace existing folder. Mac users should be cautious NOT to "Replace" the entire image or database folder with the included ones. You want to **MERGE** these files. Choose to replace existing files only if they exist to update them, **DO NOT** replace the main folders or you will lose all your library artwork for all products!!!

**Preset Files:** Contains the preset files that need to be added to your user library. Copy this folder to your user library location. By default the user library is located at:


**WIN:** C:\Users\[USER]\Documents\Native Instruments\User Content

**MAC:** Users/[USER]/Documents/Native Instruments/User Content


You can confirm this location within the Komplete\Maschine software Preferences > Library > User Library



**NOTE:** If you already have a previous version of this NKS library you should delete it and replace with the latest version.



After the files have been copied, launch the Komplete Kontrol in STANDALONE mode to do a library update. If the software is not set to auto-scan on start-up, open Preferences > Library then select Rescan



You will find your new instrument in the **USER LIBRARY** which you can switch to using the user library button.

It is possible to integrate custom libraries into the factory library with all your official NKS instruments, however this requires a small "hack" which is detailed on [This Page](#). For Mac users, this can be a more complicated process than Windows users and please note there is NO SUPPORT available from me to assist beyond the posted article.

If everything has worked correctly you should now see the plug-in listed in the browser with an assigned category, artwork for the plug-in and the installed presets will be listed in the browser.

### Problems?

If you have issues with installation or usage, you can [Contact Me](#) or visit the [Forum Thread](#)

### Installation Video PC:

<https://www.youtube.com/watch?v=d1XnEDdMu0s>

### Installation Video Mac:

[https://www.youtube.com/watch?v=amzq\\_T5kc90](https://www.youtube.com/watch?v=amzq_T5kc90)

## The Preset Browser




Presets are accessed by selecting the **User library** icon at the top of the browser .

Selecting a preset from the list will open the plug-in and automatically load the preset. You can then use the mapped controls to start tweaking the sounds.

Presets offer both loading with the Sync setting either on or off allowing the internal pattern sequencer to run with your host. If you plan to create your own pattern in your DAW, choose to load the non sync presets. You can also easily switch the Sync feature on and off using the “Sync” control on page 1.

This library loads the “Multi-Out” version of the plugin. You will receive the normal mixed audio output on the standard channel 1/2 but for use in a DAW, you can use the additional outputs that will be listed to send audio to separate DAW channels for external processing. Refer to the Cherry Audio reference manual for channel assignments (which are fixed)

## Controller Mappings



A comprehensive controller map allows access to all channel controls, effects and ability to trigger patterns in sync mode.

## Controller Reference

Controller Page: [1]=====

Control 1	(ID: 50735)	:	Start/Stop	[MAIN]
Control 2	(ID: 49653)	:	Volume	
Control 3	(ID: 49649)	:	Tempo	
Control 4	(ID: 49622)	:	Sync	
Control 5	(ID: 49651)	:	Sync Rate	
Control 6	(ID: 49625)	:	Swing	
Control 7	(ID: 50710)	:	Model	
Control 8	(ID: 50711)	:	Pattern Grp	

Controller Page: [2]=====

Control 1	(ID: 48)	:	Instrument	[VIEW]
Control 2	(ID: 49)	:	Mix	
Control 3	(ID: 50)	:	FX	
Control 4	(ID: 51)	:	Preset	[MODE]
Control 5	(ID: 52)	:	User	
Control 6	_____	:	_____	
Control 7	_____	:	_____	
Control 8	_____	:	_____	

Controller Page: [3]=====

Control 1	(ID: 48820)	:	Volume	[BASS DRUM]
Control 2	(ID: 1784)	:	Pan	
Control 3	(ID: 48842)	:	Decay	
Control 4	(ID: 48719)	:	Tune	
Control 5	(ID: 1785)	:	Tone	
Control 6	(ID: 1699)	:	EQ Amt	
Control 7	(ID: 55)	:	EQ Freq	
Control 8	_____	:	_____	

Controller Page: [4]=====

Control 1	(ID: 48846)	:	Volume	[SNARE]
Control 2	(ID: 1787)	:	Pan	
Control 3	(ID: 48847)	:	Decay	
Control 4	(ID: 48721)	:	Tune	
Control 5	(ID: 1788)	:	Tone	
Control 6	(ID: 1722)	:	EQ Amt	
Control 7	(ID: 57)	:	EQ Freq	
Control 8	_____	:	_____	

Controller Page: [5]=====

Control 1	(ID: 48850)	:	Volume	[CYMBAL]
Control 2	(ID: 1790)	:	Pan	
Control 3	(ID: 48851)	:	Decay	
Control 4	(ID: 48723)	:	Tune	
Control 5	(ID: 1791)	:	Tone	
Control 6	(ID: 1724)	:	EQ Amt	
Control 7	(ID: 1569)	:	EQ Freq	
Control 8	_____	:	_____	

Controller Page: [6]=====

Control 1	(ID: 48874)	:	Volume	[HI-HAT]
Control 2	(ID: 1793)	:	Pan	
Control 3	(ID: 48875)	:	Decay	
Control 4	(ID: 48725)	:	Tune	
Control 5	(ID: 1815)	:	Tone	
Control 6	(ID: 1726)	:	EQ Amt	
Control 7	(ID: 1572)	:	EQ Freq	
Control 8	_____	:	_____	

Controller Page: [7]=====

Control 1	(ID: 48876)	:	Volume	[LOW TOM]
Control 2	(ID: 1818)	:	Pan	
Control 3	(ID: 48877)	:	Decay	
Control 4	(ID: 48727)	:	Tune	
Control 5	(ID: 1819)	:	Tone	
Control 6	(ID: 1728)	:	EQ Amt	
Control 7	(ID: 1574)	:	EQ Freq	
Control 8	_____	:	_____	

Controller Page: [8]=====

Control 1	(ID: 48879)	:	Volume	[HIGH TOM]
Control 2	(ID: 1820)	:	Pan	
Control 3	(ID: 48878)	:	Decay	
Control 4	(ID: 48750)	:	Tune	
Control 5	(ID: 1821)	:	Tone	
Control 6	(ID: 1730)	:	EQ Amt	
Control 7	(ID: 1576)	:	EQ Freq	
Control 8	_____	:	_____	

Controller Page: [9]=====

Control 1	(ID: 48904)	:	Volume	[LOW CONGA]
Control 2	(ID: 1824)	:	Pan	
Control 3	(ID: 48905)	:	Decay	
Control 4	(ID: 48752)	:	Tune	
Control 5	(ID: 48625)	:	Tone	
Control 6	(ID: 1753)	:	EQ Amt	
Control 7	(ID: 1600)	:	EQ Freq	
Control 8	_____	:	_____	

Controller Page: [10]=====

Control 1	(ID: 48908)	:	Volume	[HIGH CONGA]
Control 2	(ID: 48627)	:	Pan	
Control 3	(ID: 48909)	:	Decay	
Control 4	(ID: 48754)	:	Tune	
Control 5	(ID: 48628)	:	Tone	
Control 6	(ID: 1755)	:	EQ Amt	
Control 7	(ID: 1603)	:	EQ Freq	
Control 8	_____	:	_____	

Controller Page: [11]=====

Control 1	(ID: 48912)	:	Volume	[RIM SHOT]
Control 2	(ID: 48630)	:	Pan	
Control 3	(ID: 48913)	:	Decay	
Control 4	(ID: 48756)	:	Tune	
Control 5	(ID: 48631)	:	Tone	
Control 6	(ID: 1757)	:	EQ Amt	
Control 7	(ID: 1607)	:	EQ Freq	
Control 8	_____	:	_____	

Controller Page: [12]=====

Control 1	(ID: 49589)	:	Volume	[COWBELL]
Control 2	(ID: 48634)	:	Pan	
Control 3	(ID: 49590)	:	Decay	
Control 4	(ID: 48758)	:	Tune	
Control 5	(ID: 48656)	:	Tone	
Control 6	(ID: 1759)	:	EQ Amt	
Control 7	(ID: 1630)	:	EQ Freq	
Control 8	_____	:	_____	

Controller Page: [13]=====

Control 1	(ID: 49594)	:	Volume	[CLAVES]
Control 2	(ID: 48659)	:	Pan	
Control 3	(ID: 49595)	:	Decay	
Control 4	(ID: 48781)	:	Tune	
Control 5	(ID: 48660)	:	Tone	
Control 6	(ID: 1761)	:	EQ Amt	
Control 7	(ID: 1633)	:	EQ Freq	
Control 8	_____	:	_____	

Controller Page: [14]=====

Control 1	(ID: 54)	:	Reverb	[FX BD]
Control 2	(ID: 1634)	:	Echo	
Control 3	(ID: 1666)	:	Mod	
Control 4	(ID: 1698)	:	Drive	
Control 5	(ID: 56)	:	Reverb	[FX SN]
Control 6	(ID: 1635)	:	Echo	
Control 7	(ID: 1667)	:	Mod	
Control 8	(ID: 1700)	:	Drive	

Controller Page: [15]=====

Control 1	(ID: 1568)	:	Reverb	[FX CY]
Control 2	(ID: 1636)	:	Echo	
Control 3	(ID: 1668)	:	Mod	
Control 4	(ID: 1723)	:	Drive	
Control 5	(ID: 1571)	:	Reverb	[FX HH]
Control 6	(ID: 1637)	:	Echo	
Control 7	(ID: 1669)	:	Mod	
Control 8	(ID: 1725)	:	Drive	

Controller Page: [16]=====

Control 1	(ID: 1573)	:	Reverb	[FX LT]
Control 2	(ID: 1638)	:	Echo	
Control 3	(ID: 1691)	:	Mod	
Control 4	(ID: 1727)	:	Drive	
Control 5	(ID: 1575)	:	Reverb	[FX HT]
Control 6	(ID: 1660)	:	Echo	
Control 7	(ID: 1692)	:	Mod	
Control 8	(ID: 1729)	:	Drive	

Controller Page: [17]=====

Control 1 (ID: 1599) :	Reverb	[FX LC]
Control 2 (ID: 1661) :	Echo	
Control 3 (ID: 1693) :	Mod	
Control 4 (ID: 1731) :	Drive	
Control 5 (ID: 1602) :	Reverb	[FX HC]
Control 6 (ID: 1662) :	Echo	
Control 7 (ID: 1694) :	Mod	
Control 8 (ID: 1754) :	Drive	

Controller Page: [18]=====

Control 1 (ID: 1606) :	Reverb	[FX RIM]
Control 2 (ID: 1663) :	Echo	
Control 3 (ID: 1695) :	Mod	
Control 4 (ID: 1756) :	Drive	
Control 5 (ID: 1629) :	Reverb	[FX CB]
Control 6 (ID: 1664) :	Echo	
Control 7 (ID: 1696) :	Mod	
Control 8 (ID: 1758) :	Drive	

Controller Page: [19]=====

Control 1 (ID: 1632) :	Reverb	[FX CL]
Control 2 (ID: 1665) :	Echo	
Control 3 (ID: 1697) :	Mod	
Control 4 (ID: 1760) :	Drive	
Control 5	_____	_____
Control 6	_____	_____
Control 7	_____	_____
Control 8	_____	_____

Controller Page: [20]=====

Control 1 (ID: 48695) :	Tone	[REVERB]
Control 2 (ID: 48696) :	Level	
Control 3 (ID: 49586) :	Decay	
Control 4 (ID: 49591) :	Gate	
Control 5 (ID: 48632) :	Off	
Control 6 (ID: 48633) :	Room	
Control 7 (ID: 48657) :	Plate	
Control 8 (ID: 48658) :	Galactic	

Controller Page: [21]=====

Control 1 (ID: 48692) :	Feedback	[ECHO]
Control 2 (ID: 48693) :	Damp	
Control 3 (ID: 48694) :	Level	
Control 4 (ID: 48880) :	Time	
Control 5 (ID: 1822) :	Off	
Control 6 (ID: 1823) :	Digital	
Control 7 (ID: 48626) :	Tape	
Control 8 (ID: 48629) :	Ping-Pong	

Controller Page: [22]=====

Control 1 (ID: 48689) :	Feedback	[CHORUS]
Control 2 (ID: 48690) :	Depth	
Control 3 (ID: 48691) :	Manual	
Control 4 (ID: 48873) :	Speed	
Control 5 (ID: 1792) :	Off	
Control 6 (ID: 1816) :	Flange	
Control 7 (ID: 1817) :	Chorus	
Control 8	_____	_____

Controller Page: [23]=====

Control 1 (ID: 48687) :	Tone	[OVERDRIVE]
Control 2 (ID: 48688) :	Level	
Control 3 (ID: 48843) :	Drive	
Control 4	_____	_____
Control 5 (ID: 1762) :	Off	
Control 6 (ID: 48782) :	Tube	
Control 7 (ID: 1789) :	Fuzz	
Control 8	_____	_____

Controller Page: [24]=====

Control 1 (ID: 53) :	On / Off	[COMP]
Control 2 (ID: 1567) :	Input	
Control 3 (ID: 1570) :	Output	
Control 4 (ID: 1598) :	Detect HP	
Control 5 (ID: 1601) :	Attack	
Control 6 (ID: 1604) :	Release	
Control 7 (ID: 1605) :	On / Off	[LIMITER]
Control 8 (ID: 1631) :	Threshold	



Controller Page: [25]=====

Control 1 (ID: 49679) :	Preset 1	[PRESET 1-8]
Control 2 (ID: 49688) :	Preset 2	
Control 3 (ID: 49718) :	Preset 3	
Control 4 (ID: 49748) :	Preset 4	
Control 5 (ID: 49778) :	Preset 5	
Control 6 (ID: 49808) :	Preset 6	
Control 7 (ID: 49838) :	Preset 7	
Control 8 (ID: 49843) :	Preset 8	

Controller Page: [26]=====

Control 1 (ID: 50547) :	Preset 9	[PRESET 9-16]
Control 2 (ID: 50552) :	Preset 10	
Control 3 (ID: 50582) :	Preset 11	
Control 4 (ID: 50612) :	Preset 12	
Control 5 (ID: 50642) :	Preset 13	
Control 6 (ID: 50672) :	Preset 14	
Control 7 (ID: 50702) :	Preset 15	
Control 8 (ID: 50706) :	Step 16	

Controller Page: [27]=====

Control 1 (ID: 49624) :	Group A	[PRESET GRP]
Control 2 (ID: 49865) :	Group B	
Control 3 (ID: 50708) :	Group C	
Control 4	_____	_____
Control 5	_____	_____
Control 6	_____	_____
Control 7	_____	_____
Control 8	_____	_____



## FAQ?

Keep up to date with the latest NKS Library releases, updates and improvements

[Subscribe to our Monthly newsletter](#)

Follow our [Facebook Page](#) for all instant updates when they are released

### Can these presets be added to the Factory Library?

Yes they can. There are a couple of files that need to be created which are specific to your install locations. There are instructions on how to do this [Here](#)

### Which Native Instruments Keyboard/Maschine hardware does this work with?

The NKS libraries will work with ALL Komplete Keyboard and Maschine Hardware

### I'm not hearing any sound previews?

Check your preview volume is up in the Factory library and check you have a .preview folder with sound files in it. Some presets may have missing files so please report any issues with presets stating the preset name and the instrument/library.

### I've noticed some issues

If you find any issues with incorrectly saved presets, sound preview issues, incorrect tagging etc please let us know the details and we will try and fix this up as quickly as possible.

### I'm having some installation\usability issues!!!!!!!!!!

If you are having issues with installing and using the preset library, check out the [Forum Thread](#) to ask other users who may have some solutions. Also, check above for installation videos. Feel free to contact us if you still have issues.

### Images are not displaying for the libraries?

This is normally down to the installation of the database/image folders not being correct. In some cases the plugin name could be different. If you cannot resolve your issue feel free to contact us (links below).

### Can I get other VSTs or preset library's created as NKS?

I can only create presets for instruments I own or have a copy of. I am always on the lookout for new VST instruments at good prices so may do more down the track. If you are able to offer me a legal copy of a VST or can transfer me the library I can have a look if it is possible to make NKS compatible. If you are a plugin developere it may also be possible to add NKS compatibility for official factory inclusion. Feel free to contact me.

## Contact \ Links

Website: [freelancesoundlabs.com](http://freelancesoundlabs.com)

Email: [admin@freelancesoundlabs.com](mailto:admin@freelancesoundlabs.com)

Forum Page: [Freelance Soundlabs 3rd Party NKS Libraries for Komplete Kontrol / Maschine](#)

Facebook Page: <https://www.facebook.com/freelancesoundlabs/>

Youtube: <https://www.youtube.com/user/jestermgee>

### Disclaimer / Legal

All product and company names are trademarks™ or registered® trademarks of their respective holders. We do not imply any affiliation or association with any of the companies and reference is in "fair use" terms. "Komplete Kontrol" and "Maschine" are trademarks or registered trademarks of Native Instruments®. VST is a registered trademark of Steinberg. Some trademark references may appear in this document belonging to others with no association with Freelance Soundlabs, including references which may not display the ® symbol. All references to other trademarks belonging to third parties that appear in this document shall be understood to refer to those registered trademark owned by others.

NKS libraries are created with no affiliation to Native Instruments. I am not paid, or even supported by Native Instruments. Downloading and usage of this library is at the users own risk. Payments are non refundable for change of mind, wrong download or not working. Be sure to download the demo version of a product before purchase to test it works or ask questions first if unsure. In the event it is a genuine problem or mistake, we may offer partial/full refund on a case-by-case basis. While we will try and offer as much support to get you going, there is no guarentee we can offer support required in all cases. There is no guarentee all libraries will work with all future versions of plugins or OS updates and if a major update of a library is needed there may be a small upgrade cost associated for the updated version if you require it.

Users are not authorised to share or distribute the files with anyone else without the consent of Freelance SoundLabs. We do regular checks and embedded fingerprints in downloads may mean if a library is discovered being distributed without consent, the associated account will be terminated. A lot of work and cost goes into managing this project and wiithout user support it will not be possible to continue. Please do the right thing and support the work to help keep it affordable and ongoing for everyone.

NKS Library: Cherry Audio KR-55C  
Changelog

v3.0.0 (28 Mar 2025)  
- Initial Version